


1B1

Reju K. Kurian
WFO/IS-4 CART

SubmissionID: 37541,38839

QWFL-1

JUMPER CONNECTION



MASTER OR
SINGLE DRIVE

Seagate Medalist 3210
Model ST33210A
3,200 Mbytes

CAUTION: Product warranty is void if the top cover, or any seal or label is removed, or if the drive experiences shock in excess of 75 Gs.

Technical Support Services

Australia	61-2-9725-3366
France	0 800-90 90 52
Germany	0 800-182 6631
Hong Kong	852-2368 9918
Singapore	65-489-7594
Taiwan	886-2-2514-2237
United Kingdom	0 800-783 5177
USA	1-800-6EAG-ATA
Other European countries	31-20-316-7222
World Wide Web	http://www.seagate.com

MEDALIST
ULTRA ATA
FRAGILE

CE **RoHS** **RECYCLED** **RECYCLED**
N176

MADE IN CHINA
中国制

DRIVE PARAMETERS:
(CHS) 6,296 Cylinders 16 Heads 63 Sectors
6,346,368 Addressable Sectors

Serial Number: 5AB11AEB
Model Number: ST33210A
Part Number: 9L4001-309
Firmware Number: 3.05
Lot Number: B33121
Configuration Level: HED01
Date Code: 9942 Site Code: WU

GOVERNMENT
EXHIBIT
157

Page 2 of 32

1B1


Reju K. Kurian
WFO/S-4 CART

SubmissionID: 37541,38839

QWF1-1

Seagate

This SeaShield™ helps protect your drive from electrostatic damage and makes installation easier.



Installation Summary

Use DiscWizard™ software to add your new hard drive if:


- You are using Windows 3.x or Windows 95, and
- You already have a bootable hard drive.

If you can use DiscWizard, follow the instructions on the DiscWizard diskette.






If you cannot use DiscWizard:

1. Copy these instructions and the drive parameters from the top cover label before installing your drive.
2. Set the jumpers. To set the jumpers for your hard drive, refer to the jumper settings below. If you are adding a second drive, designate one as a master and the other as a slave.
3. Attach cables and mount the drive. Align pin 1 on the 40-pin interface cable with pin 1 on the hard drive. Align pin 1 on the other end of the cable with pin 1 on the system host adapter. Secure the drive using two screws per side. Do not overtighten the screws.
4. Configure BIOS setup. Run your computer's BIOS or system setup program. If LBA mode is available, enable it. If your BIOS has an *Auto-detect* option, select it; if not, and LBA mode is enabled, select *user-defined* drive type and enter the LBA drive parameters listed on the other side of this drive. If LBA mode is not available, enter the CHS drive parameters. Save the drive-type settings and exit the setup program.
5. Boot your computer from a bootable Windows 95 or DOS diskette.
6. Insert your DiscWizard diskette into drive A. Run Disk Manager from the DiscWizard diskette to partition and format your new drive or use the DOS programs FOISK and FORMAT.
7. At the DOS prompt, type A:\DM; then press ENTER.
8. Follow the onscreen Disk Manager instructions to complete the installation.

Power connector




Patent pending

Jumpers	
	Slave
	Master or single drive
	Enable cable select
	Master with non-ATA compatible slave
	Limit drive capacity to 2.1 Gbytes (4,092 cylinders)

You're done!

40-pin interface connector



21400105-002

2 4 0 0 2 7 0 0 - 9 0 4 C

Page 3 of 3

RKK



www.westerndigital.com

WD Caviar™

WD300

Enhanced IDE Hard Drive

Drive Parameters: LBA 58693344

30.0 GB

S/N: WMA7H1424884

5VDC
12VDC

MDL: WD300AB-00BVA0
DATE: 28 MAR 2001
DCM: HSCBQ2CH

Made in Malaysia

Product warranty will be void if label or cover is removed or

WD P/N: WD300AB-00BVA0



JB JUMPER SETTINGS

9 7 5 3 1

40 Pin Conn.




POWER



10 8 6 4 2

Most drives are shipped with a jumper as shown above. No need to remove for single drive setting

Slave Master Single



檢磁 3902A182

CAUTION: This media may contain executable code, viruses, contraband, obscene material and/or Copyright protected data. This media should not be viewed or introduced into a classified computer or system.

Reju K. Kurian
WFO/IS-4 CART
SubmissionID: 37541, 38839

IMAGE OF QWFI-1(1B1)
DEWFI-1
RKK 09/05/06

GOVERNMENT
EXHIBIT
158

Page 3 of 35

RKK



FOUO (For Official Use Only)
Washington Field CART



WFO-CART/xx
9/26/2006

RKK


CAUTION: This media may contain executable code, viruses, contraband, obscene material and/or copyright protected data. This media should not be viewed or introduced into a classified computer or system.

Disk 1 of 1

Keyword search results from image of hard drive identified as QWP 1_1 from TR1

Disk 1 of 1

GOVERNMENT
EXHIBIT
159



GOVERNMENT
EXHIBIT
160